§ 835.605

- (3) The radioactive material of concern consists solely of structures or installed components which have been activated (i.e., such as by being exposed to neutron radiation or particles produced by an accelerator).
- (c) Areas containing only packages received from radioactive material transportation labeled and in non-degraded condition need not be posted in accordance with §835.603 until the packages are monitored in accordance with §835.405.

[63 FR 59684, Nov. 4, 1998]

§ 835.605 Labeling items and containers.

Except as provided at §835.606, each item or container of radioactive material shall bear a durable, clearly visible label bearing the standard radiation warning trefoil and the words "Caution, Radioactive Material" or "Danger, Radioactive Material." The label shall also provide sufficient information to permit individuals handling, using, or working in the vicinity of the items or containers to take precautions to avoid or control exposures.

[63 FR 59684, Nov. 4, 1998]

§835.606 Exceptions to labeling requirements.

- (a) Items and containers may be excepted from the radioactive material labeling requirements of §835.605 when:
- (1) Used, handled, or stored in areas posted and controlled in accordance with this subpart and sufficient information is provided to permit individuals to take precautions to avoid or control exposures; or
- (2) The quantity of radioactive material is less than one tenth of the values specified in appendix E of this part; or
- (3) Packaged, labeled, and marked in accordance with the regulations of the Department of Transportation or DOE Orders governing radioactive material transportation; or
- (4) Inaccessible, or accessible only to individuals authorized to handle or use them, or to work in the vicinity; or
- (5) Installed in manufacturing, process, or other equipment, such as reactor components, piping, and tanks; or

- (6) The radioactive material consists solely of nuclear weapons or their components.
- (b) Radioactive material labels applied to sealed radioactive sources may be excepted from the color specifications of §835.601(a).

[63 FR 59684, Nov. 4, 1998]

Subpart H—Records

§835.701 General provisions.

- (a) Records shall be maintained to document compliance with this part and with radiation protection programs required by §835.101.
- (b) Unless otherwise specified in this subpart, records shall be retained until final disposition is authorized by DOE.

§ 835.702 Individual monitoring records.

- (a) Records shall be maintained to document doses received by all individuals for whom monitoring was required pursuant to \$835.402 and to document doses received during planned special exposures, unplanned doses exceeding the monitoring thresholds of \$835.402, and authorized emergency exposures.
- (b) The results of individual external and internal dose monitoring that is performed, but not required by §835.402, shall be recorded. Recording of non-uniform shallow dose equivalent to the skin is not required if the dose is less than 2 percent of the limit specified for the skin at §835.202(a)(4).
- (c) The records required by this section shall:
- (1) Be sufficient to evaluate compliance with subpart C of this part;
- (2) Be sufficient to provide dose information necessary to complete reports required by subpart I of this part;
- (3) Include the following quantities for external dose received during the year:
- (i) The effective dose equivalent from external sources of radiation (deep dose equivalent may be used as effective dose equivalent for external exposure);
- (ii) The lens of the eye dose equiva-
- (iii) The shallow dose equivalent to the skin; and
- (iv) The shallow dose equivalent to the extremities.